

ЖHESTAN



GRILLING IS A PERFECTIONIST'S PURSUIT. YOUR GUESTS RAVE. BUT YOU KNOW JUST THE TRICK TO MAKE IT EVEN BETTER NEXT TIME. A DASH MORE OF THIS. A PINCH LESS OF THAT. SOAK THE MESQUITE CHIPS OVERNIGHT IN WHISKEY. NO, MAKE THAT BOURBON.

HESTAN OUTDOOR WAS BORN FROM THIS SAME PERFECTIONIST PASSION. OUR ENGINEERS EXPERIMENTED, INNOVATED, TWEAKED AND TINKERED UNTIL THEY CREATED THE MOST POWERFUL, VERSATILE AND RELIABLE GRILL AVAILABLE. THE ONLY DRAWBACK WITH THIS LEVEL OF PERFORMANCE IS YOU CAN'T BLAME ANYTHING ON THE GRILL. RISE TO THE CHALLENGE.





36" Grill












Grilling is a personal obsession. So Hestan Outdoor offers options for every grill-master (and architect). Built-in. Freestanding. Carts. They're all made in the USA from superior-grade stainless steel and include incomparable features like our whisper-quiet rotisserie, infrared rotisserie burner, flip-to-clean ceramic briquettes and signature DiamondCut Grates™. The spring-assisted Horizon Hood™ opens easily and holds at your desired height. Motion-activated Stadium Lights™ under-hood halogen lighting helps you keep an eye on everything. And the powerful Trellis Burner™ system delivers both precision control and even heat coverage.



42" Freestanding Deluxe Grill with Double Side Burner











### "EXECUTION SHOULD ALWAYS EXCEED EXPECTATIONS."

Grilling is a serious culinary endeavor. Brines. Marinades. Precision. Heat. Hestan delivers the consistent control vital to perfecting everything from shrimp skewers to leg of lamb. It's American-made durability that weathers year-round use.



Chef Thomas Keller





15" Ice Machine



24" Beer Dispenser Single Faucet



24" Beer Dispenser Double Faucet

## LOW E, UV-COATED GLASS protects wine from sunlight, while the rack design protects from vibration.





24" Dual Zone Solid Door Refrigerator



24" Dual Zone Glass Door Refrigerator

Grilling means more than sharing food. It's about sharing the moment. As the smoke wafts, smiles get bigger, stories get longer and your friends get thirsty. From refrigerated drawers and ice machines to beer taps and wine storage, Hestan Outdoor keeps your ingredients fresh and your guests refreshed. Refrigerators and refrigerated drawers keep burgers or beverages handy. The wine refrigerator protects your wine from the elements with temperature zones for your reds and whites. And the ice machine produces up to 55 pounds of crystal-clear ice every 24 hours. So you're always prepared for a couple dozen friends to drop by.



24" Refrigerated / 24" Refrigerated Drawer
Drawers / and Freezer Drawer



24" Solid Door Refrigerator



UNDERCOUNTER
REFRIGERATOR
REFRIGERATOR
DRAWERS
AND FREEZER
DRAWERS
deliver convenient

cold storage.







18" or 24" Single Access Doors

SEALED PANTRY KEEPS ALL YOUR SPICES AND CONDIMENTS SAFE AND HANDY.





30", 36" or 42" Double Access Doors



CUTTING
BOARD
slides over to reveal a
handy trash chute for
your stems and peels.



We believe the outdoor kitchen should offer all the convenience of the great indoors. So we've outfitted the Hestan Outdoor lineup with helpful details to keep everything clean and organized. Storage drawers, access doors and a sealed pantry keep your secret ingredients close at hand and safe from the elements (or animals), while trash chutes and recycle centers keep the party tidy.



20" Trash and Recycle Storage Drawer



Countertop Trash Chute




16" Double Drawers



30", 36" or 42" Double Drawers and Storage Door Combination



30", 36" or 42" Double Storage Doors



36" Double Sealed Pantry Storage Doors





Paper Towel Dispenser







Carbon Fiber Vinyl Covers







Refreshment Center

### DIAMONDCUT GRATE™

Commercial-grade 1/2" diameter stainless steel rod grate with 1/4" thick removable DiamondCut Grate<sup>TM</sup> center accommodates 14"-20" diameter woks.



Add even more power, performance and versatility to your Hestan Outdoor kitchen. The 70,000 BTU power burner handles any crab boil (or crawfish, if you prefer). Side burners let you take care of all your sauces and side dishes while you grill. The custom-made smoker set gives you extra oomph. And the carbon fiber vinyl grill cover protects your deluxe and tower cart grills in style.







12" Double Side Burner



Smoker Set



30", 36" or 42" Insulated Jackets



### **OUTDOOR LIVING SUITES**

(Appliances not included)



Hestan Outdoor Living Suites transform your patio into a well-stocked oasis with cutouts for grills, side burners, storage, refrigeration or the all-important beverage dispenser. It comes equipped with weatherproof outlets and single-point gas and electrical connections to streamline fuel and power for all of your Hestan products. The suite can accommodate custom countertops or we can ship it with a full-welded single piece stainless steel countertop. Your style. Your choice.








GRILLING IS AN OBSESSION SHARED BY
THE ENGINEERS, DESIGNERS AND WELDERS
AT HESTAN. OUR OUTDOOR PRODUCTS
ARE THOUGHTFULLY DESIGNED AND
DILIGENTLY ENGINEERED TO DELIVER THE
UTMOST IN OUTDOOR PERFORMANCE.

EACH AND EVERY GRILL IS BUILT FROM
SCRATCH AT HESTAN HEADQUARTERS IN
ANAHEIM, CALIFORNIA. WE CUT OUR OWN
STEEL. WE FABRICATE OUR GRATES. AND WE
MAKE SURE EVERY DETAIL IS ABSOLUTELY
PERFECT BEFORE YOUR GRILL LEAVES
OUR FLOOR.

### **BUILT-IN GRILL SPECS**







Built - In	Daniel at an		——————————————————————————————————————						Total	
Models	Description	W (in.)	D (in.)	H (in.)	X1 (in.)	X2 (in.)	X3 (in.)	X4 (in.)	Z (in.)	Btu's
G_BR30-NG / -LP	30" Grill Built-in	29	23-1/2	11-1/2	1-3/16	1-1/2	1/4	13/16	5 -1/2	62000
G_BR36-NG / -LP	36" Grill Built-in	35	23-1/2	11-1/2	1-3/16	1-1/2	1/4	13/16	5 -1/2	89000
G_BR42-NG / -LP	42" Grill Built-in	41	23-1/2	11-1/2	1-3/16	1-1/2	1/4	13/16	5 - <sup>1</sup> /2	118000
_= specify burner configuration										

INSULATED JACKETS									
Model Number	Description	W (in.)	D (in.)	H (in.)	X1 (in.)	X2 (in.)	X3 (in.)	X4 (in.)	Z (in.)
AGIJ30	Insulated Jacket, 30"	35	25-1/8	12-13/16	4- <sup>3</sup> /16	3-1/8	1-1/2	3- <sup>13</sup> /16	3-7/8
AGIJ36	Insulated Jacket, 36"	41	25-1/8	12-13/16	4-3/16	3-1/8	1-1/2	3- <sup>13</sup> /16	3 - 7/8
AGIJ42	Insulated Jacket, 42"	47	25-1/8	12- <sup>13</sup> /16	4-3/16	3-1/8	1-1/2	3- <sup>13</sup> /16	3 - 7/8


GAS REQUIREMENTS: ½" NPT gas connection Minimum gas supply is 7" water column for natural gas and 11" for propane. Operating pressure at the manifold is 4" water column for natural gas and 10" for propane. All units require a regulated gas supply. (included)

ELECTRICAL REQUIREMENTS: 120V, 60Hz, 7 amps



Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

### **DELUXE GRILL SPECS**



GAS REQUIREMENTS: 1/2" NPT gas connection. Minimum gas supply is 7" water column for natural gas and 11" for propane. Operating pressure at the manifold is 4" water column for natural gas and 10" for propane. All units require a regulated gas supply.

**ELECTRICAL REQUIREMENTS:** 120V, 60Hz, 6 amps


27

All Models	Description	Overall Dims W(in.) x D(in.) x H(in.)	Total Btu's
G_BR30CX-NG / -LP	Deluxe Freestanding 30" grill with worktop / drawer	48-3/4 32-1/2 53-9/16	62000
G_BR30CX2-NG / -LP	Deluxe Freestanding 30" grill with double side burner	48-3/4 32-1/2 53-9/16	92000
G_BR <sub>3</sub> 6CX-NG / -LP	Deluxe Freestanding 36" grill with worktop / drawer	54 <sup>-3</sup> /4 32 <sup>-1</sup> /2 53 <sup>-9</sup> /16	89000
G_BR36CX2-NG / -LP	Deluxe Freestanding 36" grill with double side burner	54 <sup>-3</sup> / <sub>4</sub> 32 <sup>-1</sup> / <sub>2</sub> 53 <sup>-9</sup> / <sub>16</sub>	119000
G_BR <sub>42</sub> CX-NG / -LP	Deluxe Freestanding 42" grill with worktop / drawer	60- <sup>3</sup> /4 32- <sup>1</sup> /2 53- <sup>9</sup> /16	118000
G_BR42CX2-NG/-LP	Deluxe Freestanding 42" grill with double side burner	60-3/4 32-1/2 53-9/16	148000

\_= specify burner configuration


A= all Trellis Burners M= Sear and Trellis Burners S= all Sear Burners


### **TOWER CART SPECS**



All Models	Description		(in.) with Side Burner only (W in.)	w/ Side Burner and Side Shelf (W in.)
GCD30	30" Double Door Tower Cart	36- <sup>13</sup> / <sub>16</sub> 27- <sup>13</sup> / <sub>16</sub> 53- <sup>5</sup> / <sub>8</sub> 36	- <sup>1</sup> / <sub>16</sub> 45- <sup>3</sup> / <sub>8</sub>	48- <sup>3</sup> /4
GCR30	30" Door and Drawer Tower Cart	36- <sup>13</sup> / <sub>16</sub> 27- <sup>13</sup> / <sub>16</sub> 53- <sup>5</sup> / <sub>8</sub> 36-	- <sup>1</sup> / <sub>16</sub> 45- <sup>3</sup> / <sub>8</sub>	48- <sup>3</sup> /4
GCD <sub>3</sub> 6	36" Double Door Tower Cart	42-13/16 27-13/16 53-5/8 36	- <sup>1</sup> / <sub>16</sub> 51- <sup>3</sup> / <sub>8</sub>	54 <sup>-3</sup> / <sub>4</sub>
GCR <sub>3</sub> 6	36" Door and Drawer Tower Cart	42-13/16 27-13/16 53-5/8 36-	- <sup>1</sup> ⁄16 51- <sup>3</sup> /8	54 <sup>-3</sup> /4
GCR <sub>42</sub>	42" Door and Drawer Tower Cart	48-13/16 27-13/16 53-5/8 36-	- <sup>1</sup> / <sub>16</sub> 57- <sup>3</sup> / <sub>8</sub>	60- <sup>3</sup> /4

### **SIDE BURNER SPECS**





### **ELECTRICAL REQUIREMENTS:**

REF.

-10 in² MIN. VENTILATION OPENING ON BOTH SIDES AND REAR


120V, 60Hz, 1 amps


### GAS REQUIREMENTS:

1/2" NPT gas connection. Minimum gas supply is 7" water column for natural gas and 11" for propane. Operating pressure at the manifold is 4" water column for natural gas and 10" for propane. All units require a regulated gas supply.


A11 M - J-1-	Description	Cut	T-4-1 D42-		
All Models		W(in.)	D(in.)	H(in.)	Total Btu's
AGB121-NG/-LP	Single Side Burner, Built-in, 12"	11	13-7/8	11-1/2	20,000
AGB122-NG/-LP	Double Side Burner, Built-In or Cart-Attached 12"	11	24-1/4	11- <sup>1</sup> /2	30,000

### **POWER BURNER SPECS**





COUNTERTOP INSTALLATION



### **ELECTRICAL REQUIREMENTS:**

120V, 60Hz, 1 amp

### **GAS REQUIREMENTS:**

1/2" NPT gas connection. Minimum gas supply is 7" water column for natural gas and 11" for propane. Operating pressure at the manifold is 4" water column for natural gas and 10" for propane. All units require a regulated gas supply. (included)

All Models Description		Cu W(in.)	tout Dimen D(in.)	sions H(in.)	Total Btu's
AGPB24-NG / -LP	Power Burner, Built-in, 24"	23-1/4	22-1/2	11-1/8	70,000



Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

### **REFRIGERATION SPECS**

## OUTDOOR REFRIGERATOR / BEER DISPENSER ISLAND, CUTOUT, REFRIGERATION 34" 34" 34 3/8" 24" 24"

NOTE: See outdoor beer dispenser manual for detailed installation information and faucet tower cutout dimensions.


Models	Description	Electrical Requirements
GRS_24	24" Outdoor Refrigerator, Solid Door with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GRR24	24" Outdoor Refrigerator Drawers with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GRFR24	24" Outdoor Refrigerator Drawer and Freezer Drawer with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GRWS_24	24" Outdoor Dual Zone Refrigerator w Wine, Solid Door with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GRWG_24	24" Outdoor Dual Zone Refrigerator w Wine, Glass Door with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GFDS_241	24" Outdoor Single Faucet Beer Dispenser, Solid Door with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GFDS_242	24" Outdoor Double Faucet Beer Dispenser, Solid Door with Lock	115V, 60Hz., 1 Phase, 2.3 amps
GIM_15	15" Outdoor Ice Machine	120V, 60Hz., 1 Phase, 3.8 amps

\_= Specify (L) or (R) for Left or Right Hinge model





### **ACCESS & STORAGE SPECS**



### NOTES:


- 1) Trash Chute AGTC cutout depends on type of countertop used. Please refer to installation instructions for details.
- 2) Paper Towel Dispenser AGPTD16 can be installed in 3 different orientations using these cutout dimensions. Please refer to installation instructions for details.


Built - In Models	Description	Product Width Options W (in.)	Cutout Di W (in.)	s H (in.)	
AGAD_xx	Single Access Door , with Marquise accent panel	18" or 24"	15- <sup>7</sup> /8" or 21- <sup>7</sup> /8"	<b>D (in.)</b> n/a	19
AGADxx	Double Access Doors , with Marquise accent panel	30", 36"or 42"	27 <sup>-7</sup> /8", 33 <sup>-7</sup> /8" or 39 <sup>-7</sup> /8"	n/a	19
AGSDxx	Double Storage Doors , with Marquise accent panel	30", 36"or 42"	27 <sup>-7</sup> /8", 33 <sup>-7</sup> /8" or 39 <sup>-7</sup> /8"	23 - <sup>3</sup> /8	19
AGSRxx	Single Storage Drawer , all stainless front with Marquise accent hand	dle 30" or 36"	27 <sup>-7</sup> /8" or 33 <sup>-7</sup> /8"	23 -3/8	8-7/8
AGDR16	Double Drawers , with Marquise accent panel	16"	13-7/8	23 - <sup>3</sup> /8	19
AGSDRxx	Double Drawer and Storage Door Combination w/ Marquise accent	panel 30", 36"or 42"	27 <sup>-7</sup> /8", 33 <sup>-7</sup> /8" or 39 <sup>-7</sup> /8"	23 - <sup>3</sup> /8	19
AGLP <sub>3</sub> 6	Double Sealed Pantry Storage Doors, with Marquise accent panel	36″	33-7/8	23-3/8	19
AGTRC20	Trash and Recycle Center Storage Drawer, with Marquise accent pan	el 20"	17-1/4	24	26
AGTC	Countertop Trash Chute with Cutting Board and Cover	-	6-1/8	8-1/8	n/a
AGPTD16	Paper Towel Dispenser, with Marquise accent panel	16"	11-1/8	10-1/8	15

31

Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

### **OUTDOOR LIVING SUITE SPECS**





# SHOWN WITH OPTIONAL RAISED BAR - SSB, SDB models

### **ELECTRICAL REQUIREMENTS:**

120V, 60Hz, 1 amp


### ${\bf GAS} \ {\bf REQUIREMENTS}:$

1/2" NPT gas connection. Minimum gas supply is 7" water column for natural gas and 11" for propane. Operating pressure at the manifold is 4" water column for natural gas and 10" for propane. All units require a regulated gas supply. (included)

Built - In Models	Description	Weight (lbs)	Note: Weights are approximate depending with or without tops or elevated bar top. The unit ships in pieces and assembly is required. Appliances not included.
GE8	8' Cooking Suite	650	
GE12	12' Cooking Suite	940	
S: no top SD: ss to	op w/ beer dispenser SS: ss top	SSB: ss top w/l	bar SDB: ss top w/bar and beer dispenser SB: no top w/ bar

Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

### **REFRESHMENT CENTER SPECS**





All Models	Description	Cut	Weight		
All Models	Description	W(in.)	D(in.)	H(in.)	vveight
GRC 30	Assy. Refreshment Center, 30"	29- <sup>1</sup> /4	24 <sup>-5</sup> /16	12	120
GRCHS <sub>3</sub> o	Assy. Refreshment Center, High Shelf, 30"	29- <sup>1</sup> /4	24 <sup>-5</sup> /16	12	152
GIS 30	Assy., Insulated Sink, 30"	29 <sup>-1</sup> /4	24 <sup>-5</sup> /16	12	73
GISHS <sub>3</sub> 0	Assy., Insulated Sink, High Shelf, 30"	29-1/4	24 <sup>-5</sup> /16	12	96
AGIB	Ice Bin, Insulated Sink, 16"	14 <sup>-1</sup> /2	21-3/4	12	41

33



